



**PRODUCT INFO
& DATASHEET**

SICOFERT NPK 10 + 8 + 12 + 3 MgO (20 SO₃) (C.)

NPK-fertiliser with magnesium / *Engrais NPK avec magnésium*

STANDARD SPECIFICATIONS - SPECIFICATIONS STANDARD

* Chemical Analysis / Analyse Chimique	Calculated %	Specification
Total Nitrogen / Azote total (N)	10	2% Nitric Nitrogen / Azote Nitrique 8% Ammoniacal Nitrogen / Azote Ammoniacal
Phosphorus Pentoxide / Anhydride phosphorique (P ₂ O ₅) neutre	8	Soluble in neutral ammonium citrate and in water <i>soluble dans l'eau et le citrate d'ammonium</i> 7.2 % soluble in water / <i>soluble dans l'eau</i>
Potassium Oxide / Oxyde de potassium (K ₂ O)	12	Soluble in water / <i>soluble dans l'eau</i>
Magnesium Oxide / Oxyde de magnésium (MgO)	3	Soluble in mineral acid / <i>Soluble dans l'acide minéral</i>
Sulphur Trioxide / Anhydride Sulfurique (SO ₃) Water / Eau	20	max. 0.5 %

* **Physical Properties / Caractéristiques Physiques**

SIEVE ANALYSIS - GRANULOMETRIE		
* Fraction / Fraction Smaller than / inférieure à between / comprise entre Greater than / supérieure à	2 mm 2 - 4 mm 4.75 mm	max. 2 % max. 80 % max. 2 %
* Average particle size / Diamètre moyen du grain	mm	3.2 ± 0.2
* Loose bulk density / Densité sans tassement	kg/m ³	ca. / env. 1010

SICOFERT NPK 10 + 8 + 15 + 3 MgO (18 SO₃) + TE (C.)

NPK-fertiliser with magnesium and trace elements
Engrais NPK avec magnésium et oligo-éléments

STANDARD SPECIFICATIONS - SPECIFICATIONS STANDARD

* Chemical Analysis / Analyse Chimique	Calculated %	Specification
Total Nitrogen / Azote total (N)	10	2 % Nitric Nitrogen / Azote nitrique 8% Ammoniacal Nitrogen / Azote Ammoniacal
Phosphorus Pentoxide / Anhydride phosphorique (P ₂ O ₅)	8	Soluble in neutral ammonium citrate and in water / <i>soluble dans l'eau et le citrate d'ammonium neutre</i> 7.2 % soluble in water / <i>soluble dans l'eau</i>
Potassium Oxide / Oxyde de potassium (K ₂ O)	15	Soluble in water / <i>soluble dans l'eau</i>
Magnesium Oxide / Oxyde de Magnésium (MgO)	3	Soluble in mineral acid / <i>soluble dans l'acide minéral</i>
Sulphur Trioxide / Anhydride Sulfurique (SO ₃)	18	
Zinc / Zinc total (Zn)	0.03	
Copper / Cuivre total (Cu)	0.04	
Water / Eau		max. 0.5 %

Any information in this publication is believed to be accurate and is given in good faith, but is for the customer to satisfy himself of the suitability for his own particular purpose. No representation, warranty or guarantee is made to its accuracy, reliability or completeness.

SAP INTERNATIONAL CORPORATION bvba Krekelenberg 69, B-2980 Zoersel, Belgium
Tel. +32-3-309.06.51 Fax. +32-3-309.19.31 Email : info@sico.be Website : www.sico.be

SICO FERTILISERS
EVERY TIME THE RIGHT SOLUTION



**PRODUCT INFO
& DATASHEET**

*** Physical Properties / Caractéristiques Physiques**

SIEVE ANALYSIS - GRANULOMETRIE		
* Fraction / <i>Fraction</i> Smaller than / <i>inférieure à</i> Between / <i>comprise entre</i> Greater than / <i>supérieure à</i>	2.0 mm 2 - 4 mm 4.75 mm	max. 2 % max. 80 % max. 2 %
* Average particle size / <i>Diamètre moyen du grain</i>	mm	3.0 ± 0.2
* Loose bulk density / <i>Densité sans tassement</i>	kg/m ³	ca. / <i>env.</i> 1000

Any information in this publication is believed to be accurate and is given in good faith, but is for the customer to satisfy himself of the suitability for his own particular purpose.
No representation, warranty or guarantee is made to its accuracy, reliability or completeness.

SAP INTERNATIONAL CORPORATION bvba Krekelenberg 69, B-2980 Zoersel, Belgium
Tel. +32-3-309.06.51 Fax. +32-3-309.19.31 Email : info@sico.be Website : www.sico.be

