



**PRODUCT INFO  
& DATASHEET**

## SICOFERT NP 15 + 10 + 5 MgO + 0.05 B (26 SO<sub>3</sub>)

NP-fertiliser with magnesium and boron

*Engrais NP avec magnésium et bore*

### **STANDARD SPECIFICATIONS - SPECIFICATIONS STANDARD**

#### **\* Chemical Analysis / Analyse Chimique**

	Calculated %	Specification
Total Nitrogen / Azote total ( <b>N</b> )	15	2.5 % Nitric Nitrogen/Azote nitrique 12.5% Ammoniacal Nitrogen / Azote Ammoniacal
Phosphorus Pentoxide / Anhydride phosphorique ( <b>P2O5</b> )	10	Soluble in neutral ammonium citrate and in water/soluble dans l'eau et le citrate d'ammonium neutre 9 % soluble in water/soluble dans l'eau
Magnesium Oxide / Oxyde de Magnésium ( <b>MgO</b> )	5	Soluble in mineral acid/soluble dans l'acide minéral
Boron / Bore ( <b>B</b> )	0.05	Soluble in mineral acid/soluble dans l'acide minéral
Sulphur Trioxide / Anhydride Sulfurique ( <b>SO3</b> )	26	
Water / Eau		max. 0.5 %

#### **\* Physical Properties / Caractéristiques Physiques**

<b>SIEVE ANALYSIS - GRANULOMETRIE</b>		
* Fraction / Fractio		
Smaller than / inférieure à	2.0 mm	max. 2 %
Between / comprise entre	2 - 4 mm	max. 80 %
Greater than / supérieure à	4.75 mm	max. 2 %
* Average particle size / Diamètre moyen du grain	mm	3.3 ± 0.2
* Loose bulk density / Densité sans tassement	kg/m <sup>3</sup>	ca. / env. 950

Any information in this publication is believed to be accurate and is given in good faith, but is for the customer to satisfy himself of the suitability for his own particular purpose. No representation, warranty or guarantee is made to its accuracy, reliability or completeness.

**SAP INTERNATIONAL CORPORATION bvba** Krekelenberg 69, B-2980 Zoersel, Belgium  
Tel. +32-3-309.06.51 Fax. +32-3-309.19.31 Email : info@sico.be Website : www.sico.be

**SICO FERTILISERS**  
EVERY TIME THE RIGHT SOLUTION