



**PRODUCT INFO
& DATASHEET**

"SICOPONICS" Scientific Hydroponics – ADDITIVE RANGE

FEEDING SCHEDULES

Our recommended schedule for SICOPONICS ADDITIVES.

03/2014

	GROW CYCLE				FLOWERING PERIOD							
Sicogreen-L Flower PK 18-20							0.5 ml/l	1 ml/l	1.5 ml/l	1.5>2 ml/l	2 ml/l	flush
Sico-Rootbooster	1 ml/l											
Sico-Plantcare	1 ml/l throughout life of plant											
Sico-Plantelexir	1 ml/l				1 ml/l							
Sico-Plantpower	1.5>2.5 ml/10l				1.5>2.5 ml/10l							
Sico Flor-Enhancer							3 ml/l					
Sico Icedreamer	3>5 ml/10l				3>5 ml/10l							
Sico Heatdreamer	4 ml/10l				4 ml/10l							
Sico Waterdreamer	2>6 ml/10l				2>6 ml/10l							
Weeks	1	2	3	4	5	6	7	8	9	10	11	12

All our products can be used in conjunction with other brands.

Sico-Rootgel	Small amount of gel used for cuttings : 6>10 ml/100l of water.
Sico-Reactor	

Sicoponics scientific grower	example tank size = 10		(litres)					
Week	1	2	3	4	5	6	7	
Diamond Grower A&B	20	30	40	50	50	50	50	ml
Sicogreen-L Flower PK 18-20	4	4	3	3	3	3	3	ml
Humiplex	3	3	3	3	3	3	3	ml
Sico-Carbostar	3	3	3	5	5	5	5	ml
Electrical conductivity (EC)	1	1.5	2	2.5	2.5	2.5	2.5	
EC ¾ strength	0.8	1.1	1.5	1.9	1.9	1.9	1.9	

Sicoponics scientific flower											
Week	8	9	10	11	12	13	14	15	16	17	
Diamond Grower A&B	35	45	55	55	55	55	55	55	30	water	ml
Diamond Grower A&B @75% strength	30	35	45	45	45	45	45	45	30	water	
Sicogreen-L Flower PK 18-20	30	30	30	30	30	30	30	30	30		ml
Humiplex	3	3	3	3	3	3	3	3	3		ml
Sico-Amino Plus	10	10	10	10	0	0	0	0	0		ml
Electrical conductivity (EC)	2.5	3	3.5	3.5	3.5	3.5	3.5	3.5	2.2		
EC ¾ strength	2.2	2.5	3.0	3.0	3.0	3.0	3.0	3.0	2.2		

Note : As per example the facility to add and remove extra weeks in either Grower or Flower is required; parameters are :
 - Grower : min. of 4 and a max. of 7 weeks.
 - Flower : min. of 7 and a max. of 10 weeks, however for Diamond the final week must always be water and second to last week must always reduce to 3x number of litres in the tank from 5.5x number of litres in the tank. Subsequently the EC value will change on the second to last and last week of flower.
 - 75% strength: The facility to change to ¾ strength is required, when doing so, the only dosage values that change are the Diamond Flower A&B and as illustrated above the EC value will also subsequently change.

Any information in this publication is believed to be accurate and is given in good faith, but is for the customer to satisfy himself of the suitability for his own particular purpose. No representation, warranty or guarantee is made to its accuracy, reliability or completeness.

SAP INTERNATIONAL CORPORATION bvba Krekelenberg 69, B-2980 Zoersel, Belgium
Tel. +32-3-309.06.51 Fax. +32-3-309.19.31 Email : info@sico.be Website : www.sico.be

SICO FERTILISERS
 EVERY TIME THE RIGHT SOLUTION