



GENERAL APPLICATION GUIDE

SICOCORR Mycorrhizal Fungi - General application guide -

7/10/2014

APPLICATION

DOSAGE

Spreading into planting	:	 10 – 20 ml / plant (up to 12 cm pot) up to 100 ml / plant (up to 10 l pot) 20 ml / plant (up to 15 cm Ø root ball) up to 100 ml / plant (up to 40 cm Ø root ball)
Existing plant formations	:	- up to 100 ml / plant in drilling holes - per 10 cm stem- Ø 3 x 100 ml
Blending into substrat	:	- 1 to 5 % (seedling production)- 5 to 10 % (plant production)
Blending with seeds	:	- 10 – 20 ml / 1000 corn
Blending with fertiliser	:	- 12 – 15 l / t
Blending with sowing at new grounds	:	- up to 100 ml / m ²
Surface treatment	:	- up to 100 ml / m ² – 1000 l / ha
Bed of transplanting	:	- up to 100 ml / m furrow

For optimal development of the symbiosis please apply SICOCORR mycorrhiza products directly to the roots of the plants, either by spreading into the planting hole or distributing in the substrate/compost or soil surface.

Any information in this publication is believed to be accurate and is given in good faith, but is for the customer to satisfy himself of the suitability for his own particular purpose. No representation, warranty or guarantee is made to its accuracy, reliability or completeness.



SAP INTERNATIONAL CORPORATION bvba Krekelenberg 69, B-2980 Zoersel, Belgium Tel. +32-3-309.06.51 Fax. +32-3-309.19.31 Email : info@sico.be Website : www.sico.be